



SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name

Aluminum fluoride

Brand

: SAM

CAS-No.

: 7784-18-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Stanford Advanced

Company

: Materials

23661 Birtcher Dr.

Lake Forest, CA 92630

USA

Telephone

: +1 (949) 407-8904

Fax

+1 (949) 812-6690

1.4 Emergency telephone number

Emergency Phone #

+1 (949) 407-8904

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Weak hydrogen fluoride-releaser

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1Substances

Formula

: AIF3

Molecular weight

83.98 g/mol

CAS-No. EC-No. 7784-18-1 232-051-1

Hazardous components

Component						Classifica	ation	Concentration	
Aluminium fluoride									
				: '			:		90 - 100 %

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician. First treatment with calcium gluconate paste.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

Compone	ent	CAS-No.	Value	Control	Basis			
	100	100	1	parameters				
Aluminiur	n fluoride	7784-18-1	TWA	2.500000	USA. Occupational Exposure Limits			
				mg/m3	(OSHA) - Table Z-1 Limits for Air			
	:		:		Contaminants			
1	Remarks			CAS number varies with compound				
			TWA	2.500000	USA. Occupational Exposure Limits			
			mg/m3 (OSHA) - Table Z-2					
			Z37.28-196					
1			TWA	2.500000	USA. ACGIH Threshold Limit Values			
				mg/m3	(TLV)			
			Bone dama	ige				
	;		Fluorosis					
				for which there is a Biological Exposure Index or Ind				
			(see BEI® s					
				Not classifiable as a human carcinogen				
			varies					
			TWA	2.500000	USA. ACGIH Threshold Limit Values			
				mg/m3	(TLV)			
1 1			Bone dama	ige ,	100			
,		,	Fluorosis					
					a Biological Exposure Index or Indices			
			(see BEI®					
	:	Not classifiable as a human carcinogen			arcinogen			
			varies	10.5 / 0	11104 0 15 15			
			TWA	2.5 mg/m3	USA. Occupational Exposure Limits			
					(OSHA) - Table Z-1 Limits for Air			
		<u> </u>			Contaminants			
		ļ		er varies with com				
			TWA	2.5 mg/m3	USA. ACGIH Threshold Limit Values			
1 1			-		(TLV)			
,		· ·	Bone dama	ige	,			
			Fluorosis	· Canada Callada	a District Foresco			
	, ,			ances for which there is a Biological Exposure Index or Indic				
1 1	i		(see BEI® section)					
	Not classifiable as a human carcinogen				arcınogen			
			varies					

		:	,		PEL	3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
--	--	---	---	--	-----	---	---

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
Aluminium fluoride	7784-18-1	Fluoride	3.0000 mg/g	In urine	ACGIH - Biological Exposure Indices (BEI)		
	Remarks	Prior to shift (1	Prior to shift (16 hours after exposure ceases)				
		Fluoride	10.0000 mg/g	In urine	ACGIH - Biological Exposure Indices (BEI)		
		End of shift (As soon as possible after exposure ceases)					
		Fluoride	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)		
		Prior to shift (16 hours after exposure ceases)					
		Fluoride	3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)		
		End of shift (As soon as possible after exposure ceases)					

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

b) Odour odourless

c) Odour Threshold No data available

d) pH 5.9 at 20 °C (68 °F)

Melting point/freezing Melting point/range: 1,290 °C (2,354 °F) point

f) Initial boiling point and ca.1,537 °C (2,799 °F) boiling range

g) Flash point Not applicableh) Evaporation rate Not applicable

i) Flammability (solid, gas) The product is not flammable.

j) Upper/lower No data available flammability or explosive limits

k) Vapour pressureNo data availableNo data available

m) Relative density 3.1 g/cm3 at 25 °C (77 °F) n) Water solubility 0.0053 g/l at 20 °C (68 °F)

o) Partition coefficient: n- No octanol/water

No data available

p) Auto-ignition Not applicable temperature

q) Decomposition temperature

No data available

r) Viscosity No data available

s) Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

acids, Sodium/sodium oxides, Potassium

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Aluminum oxide Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 2,000 mg/kg

(Fixed Dose Method)

LC50 Inhalation - Rat - 4 h - > 0.53 mg/l

(OECD Test Guideline 403)

Remarks: No adverse effect has been observed in acute toxicity tests.

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eves - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

in vivo assay - Mouse

Result: Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 429)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No

No component of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: BD0725000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Salivation, Nausea, Vomiting, Fever

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish.

LC50 - Danio rerio (zebra fish) - > 10 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia

LC50 - Daphnia magna (Water flea) - > 10 mg/l - 48 h

and other aquatic invertebrates

(OECD Test Guideline 202) Remarks: No toxicity at the limit of solubility

Toxicity to algae

LC50 - Chlorella vulgaris (Fresh water algae) - 8.4 mg/l - 3 d

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Aluminium fluoride CAS-No. Revision Date 2010-08-02

New Jersey Right To Know Components

CAS-No. Revision Date Aluminium fluoride 7784-18-1 2010-08-02

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

HMIS Rating

Health hazard: 1
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.