



# SAFETY DATA SHEET

3.0 Revision Date 09/04/2017

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name Neodymium(III) fluoride

Brand : SAM

CAS-No. : 13709-42-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Stanford Advanced

Company : Materials

23661 Birtcher Dr. Lake Forest, CA 92630

USA

Telephone : +1 (949) 407-8904Fax : +1 (949) 812-6690

1.4 Emergency telephone number

Emergency Phone # : +1 (949) 407-8904

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

 $\langle \! \rangle$ 

Signal word Warning

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 + P312 P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. P312 P322 Specific measures (see supplemental first aid instructions on this label). P330 Rinse mouth. If skin irritation occurs: Get medical advice/ attention. P332 + P313 P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3Hazards not otherwise classified (HNOC) or not covered by GHS

Strong hydrogen fluoride-releaser

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1Substances

Formula : F3Nd

Molecular weight : 201.24 g/mol CAS-No. : 13709-42-7 EC-No. : 237-253-3

## **Hazardous components**

Component					Classification	Concentration
Neodymium trifluoride						
4, 54,	:'	1,	٠.,	:"	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H302 + H312 + H332, H315, H319, H335	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician. First treatment with calcium gluconate paste.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Do not store in glass

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL

## **PROTECTION 8.1 Control parameters**

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Neodymium trifluoride	13709-42-7	TWA	2.500000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	Remarks	CAS numb	er varies with con	npound	
		TWA	2.500000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-2	
		Z37.28-196	9		
1, 5,		TWA	2.500000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
4, 100	4, 4,	Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies			
	1	TWA	2.500000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
i, ''		Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies			
		TWA	2.5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		CAS numb	er varies with con	npound	
		TWA	2.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
4. %.	: :		s for which there is	s a Biological Exposure Index or Indices	
1, 10	. :	(see BEI® section) Not classifiable as a human carcinogen varies			
		PEL	2.5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

**Biological occupational exposure limits** 

	ooupun	niai exposure				
Component		CAS-No.	Parameters	Value	Biological	Basis
		. 1	1,		specimen	
1		1	1		1	
Neodymium		13709-42-7	Fluoride	3.0000	In urine	ACGIH - Biological
trifluoride				mg/g		Exposure Indices
		1.				(BEI)
		Remarks	Prior to shift (1	6 hours after	r exposure ceases)	
			Fluoride	10.0000	In urine	ACGIH - Biological
				mg/g		Exposure Indices
	: ' '		:		111	(BEI)
,			End of shift (As	s soon as po	ssible after exposure	ceases)
			Fluoride	2 mg/l	Urine	ACGIH - Biological
			1			Exposure Indices
						(BEI)
			Prior to shift (1	6 hours after	r exposure ceases)	
			Fluoride	3 mg/l	Urine	ACGIH - Biological
' .		'. ·				Exposure Indices
						(BEI)
			End of shift (A	s soon as no	ssible after exposure	\ /
		1	Lina or striit (A	occir as po	Solbic ditor exposure	, 000000

### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

## 9.1 Information on basic physical and chemical properties

Form: powder

u)	Appearation	Colour: purple
b)	Odour	No data available
c) ;	Odour Threshold	No data available
d)	рН	No data available
e) ;	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	2,300 °C (4,172 °F) - lit.
g),	Flash point	Not applicable
h)	Evaporation rate	No data available
i) ;	Flammability (solid, gas)	No data available
j) :	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
l)	Vapour density	No data available
m),	Relative density	6.65 g/cm3 at 25 °C (77 °F)
n)	Water solubility	No data available
o) ;	Partition coefficient: n-octanol/water	No data available
p) ;	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available

r) Viscosity

No data available

s) Explosive properties

No data available

t) Oxidizing properties

No data available

# 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Reacts dangerously with glass.

## 10.5 Incompatible materials

Strong oxidizing agentsglass

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, neodymium oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

No data available

## Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### Additional Information

RTECS: QO9500000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil:

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

# DOT (US)

Not dangerous goods

## **IMDG**

Not dangerous goods

### **IATA**

Not dangerous goods

# 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

# Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

## **Pennsylvania Right To Know Components**

CAS-No. Revision Date Neodymium trifluoride 13709-42-7 2008-06-01

New Jersey Right To Know Components

Neodymium trifluoride CAS-No. Revision Date 13709-42-7 2008-06-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Eye Irrit. Eye irritation

H302 Harmful if swallowed.

H302 + H312 + Harmful if swallowed, in contact with skin or if inhaled.

H332

H312 Harmful in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation.

## **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: Flammability: 0
Physical Hazard 0

## **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

## **Further information**

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.