

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product identifiers

Product Name : Pyrolytic Graphite Powder
Brand : SAM
CAS-No. : 7782-42-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Stanford Advanced Materials
23661 Birtcher Dr.
Lake Forest, CA 92630
USA
Telephone : +1 (949) 407-8904
Fax : +1 (949) 812-6690

1.4 Emergency telephone number

Emergency Phone #: +1 (949) 407-8904

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Substance name : ACS Material Pyrolytic Graphite Powder
CAS-No. : 7782-42-5
EC-No. : 231-955-3
Molecular weight : 12.01 g/mol
Formula : C

Hazardous components

Component	Concentration	CAS-No.
Graphite	<=100 wt %	7782-42-5

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities: None known.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention if irritation occurs.

If swallowed

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

5.2 Special hazards arising from the substance or mixture

No data available.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Fire Hazards in Presence of Various Substances: Slightly flammable to flammable in presence of open flames and sparks, of heat, of oxidizing materials.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. Slightly explosive in presence of moisture.

5.4 Further information

Special Remarks on Fire Hazards:

It will ignite on contact with chlorine trifluoride and fluorine. Graphite dust may ignite on contact with air. May re-ignite after fire is extinguished.

Special Remarks on Explosion Hazards:

Material in powder form, capable of creating an explosion on contact with water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas.

For personal protection see section 8

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Suitable extinguishing media

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe dust. Keep away from incompatibles such as oxidizing agents.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep container in a cool, wellventilated area. Do not store above 23°C (73.4°F).

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control Parameters	Basis
Graphite	7782-42-5	TWA	2.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Inhalation Respirable		
		TWA	2.500000 mg/m ³	USA. NIOSH Recommended Exposure Limits
		PEL	2.500000 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 mg/m ³	UK Recommended Exposure Limits
		TWA	4 mg/m ³	UK Recommended Exposure Limits

8.2 Exposure controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

1) Appearance	Form: solid Colour: black
2) Odour	odourless
3) Odour Threshold	No data available
4) pH	No data available
5) Melting point/freezing point	3650°C (6602°F)
6) Initial boiling point and boiling range	No data available
7) Flash point	CLOSED CUP: Higher than 93.3°C (200°F)
8) Evaporation rate	No data available
9) Flammability (solid, gas)	May be combustible at very high temperature
10) Upper/lower flammability or explosive limits	No data available
11) Vapour pressure	No data available
12) Vapour density	No data available

13) Relative density	2-2.5 g/cm ³ at 25 °C (77 °F)
14) Water solubility	insoluble in cold water
15) Partition coefficient: n- octanol/water	No data available
16) Auto-ignition temperature	No data available
17) Decomposition temperature	No data available
18) Viscosity	No data available
19) Explosive properties	Slightly explosive in presence of moisture.
20) Oxidizing properties	No data available

9.2 Other safety information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts vigorously with liquid potassium, and potassium peroxide. If graphite contacts liquid potassium, rubidium or caesium at 300 C, intercalation compounds may be formed.

10.4 Conditions to avoid

Heat, spark, flame or other fire origin, heat up to 290 °C (554 °F).

10.5 Incompatible materials

Strong oxidizing agents, fluorine-containing reagents, peroxide.

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - No data available.

Other decomposition products - No data available.

In the event of fire: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50: Not available.

LC50: Not available.

Dermal: No data available.

No data available.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Dust causes eye irritation.

Respiratory or skin sensitisation

Dust causes respiratory tract and mucous membrane irritation.

Germ cell mutagenicity

Not available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Specific target organ toxicity - single exposure

No data available.

Specific target organ toxicity - repeated exposure

Causes damage to the following organs: upper respiratory tract.

May cause damage to the following organs: cardiovascular system.

Inhalation of high concentrations of graphite dust over prolonged periods of time may cause pneumoconiosis. Symptoms can include cough, shortness of breath, and decrease of pulmonary function. Preexisting pulmonary disorders such as emphysema may possibly be aggravated by prolonged exposure to high concentrations of graphite dust.

Aspiration hazard

No data available.

Additional Information

RTECS: No data available.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

Possibly hazardous short term degradation products are not likely. However, long term

degradation products may arise. The product itself and its products of degradation are not toxic.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods.

IMDG: Not dangerous goods.

IATA: Not dangerous goods.

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Packaging group

ADR/RID: - IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or

mixture

Authorisations and/or restrictions on use

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazardsc

No SARA Hazards.

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Graphite	7782-42-5	1989-08-11

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Graphite	7782-42-5	1989-08-11

New Jersey Right To Know Components

	CAS-No.	Revision Date
Graphite	7782-42-5	1989-08-11

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION

HMIS Classification

Health hazard:	1
Fire Hazard:	0
Flammability:	0
Personal Protection:	B

NFPA Rating

Health hazard:	1
Fire Hazard:	0
Reactivity Hazard:	0

Disclaimer: This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.